Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

Calvin C. REED, LIEUTENANT, U.S.N.

Attached to _____ Division,
_____ Squadron,
_____ Flotilla,
U. S. PACIFIC Fleet,
_____ Naval District,

Commencing 0001 1 March, 1963,
(zone time and date)

at Pearl Harbor, Hawaii,
(location)

and ending 2400 31 March, 1963,
(zone time and date)

at Pearl Harbor, Hawaii
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR, T. H.

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ , 19____
(Day) (Date) (Month)

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Friday (Day) 1 (Date) March (Month), 1963

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 Moored port side to berth Bravo eleven (B-11) Pearl Harbor Hawaii using four standard nylon mooring lines doubled up. Screening flushing water fresh water, electrical power and telephone service from the pier. YRBM-4 up tied to starboard. Units present include various ships of the US Pacific Fleet and various yard and district craft. Modified material condition "Yoke" is set throughout the ship. SOPA is Com C Pac Flt.

Robert M Turner ENS USNR

04-08 Moored as before; 0710 Mustered crew on station absentees; one Calderon S(N), SN 546698 USN, UA. from 0700 Injured 1963

Robert M Turner ENS USNR

APPROVED: C.C. Breed Lt U.S.N. COMMANDING

EXAMINED: A. L. Walter LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF96 FRIDAY (Day) 1 (Date) MARCH (Month), 19 63

0812 MOORED AS BEFORE 1035 COMMENCED DOCK TRIALS
1100 COMPLETED DOCK TRIALS

J E Horton
Ens USN

1216 MOORED AS BEFORE

J E Horton
Ens USN

1620 MOORED AS BEFORE 1800 SET MODIFIED CONDITION
YOKE THRU OUT THE SHIP. 1845 CALDERON, S (N) 546-86-98
SN, USN RETURNED ABOARD UH SINCE 0700 1 MARCH 1963

J E Horton
Ens USN

2024 MOORED AS BEFORE

J E Horton
Ens USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R L Walker LT/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 2 (Date) MARCH (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO IN BERTH BRAVO ELEVEN (B-11) US NAVAL SHIP YARD, PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FIRE AND FLUSHING WATER, FRESH WATER, ELECTRICAL POWER AND TELEPHONE SERVICE FROM THE PIER. YRBM-1 MOORED ALONGSIDE TO STARBOARD. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA & CinPacFlt.

L E Harton
Ens USN

Ø4-Ø8 MOORED AS BEFORE. Ø71Ø MUSTERED CREW ON STATIONS.
ABSENTEES: NONE

L E Harton
Ens USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 2 (Date) MARCH (Month), 19 63

ØØ-12: MOORED AS BEFORE.

(illegible) LT(JG) USNR

12-16: MOORED AS BEFORE.

(illegible) LT(JG) USNR

16-2Ø: MOORED AS BEFORE. 18ØØ SHIP'S SPACES REMAIN OPEN TO FACILITATE REPAIRS BEING PERFORMED BY SHIPYARD PERSONNEL.

(illegible) LT(JG) USNR

2Ø-24: MOORED AS BEFORE.

(illegible) LT(JG) USNR

APPROVED:

(illegible) U.S.N. COMMANDING

EXAMINED:

(illegible) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 3 (Date) MARCH (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

ØØ-ØH: MOORED PORT SIDE TO BERTH B-11, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING ELECTRIC POWER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. YRBM-1 IS MOORED ALONGSIDE TO STARBOARD. SOPA IS CINCPACFLT.

H N Swan, LT(JG)USNR

ØH-Ø8: MOORED AS BEFORE. 0745 Mustered the crew on stations, Absentees: none.

H N Swan, LT(JG) USNR.

APPROVED: C Reed Lt U.S.N. COMMANDING

EXAMINED: R L Walker 2d/c U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 3 (Date) MARCH (Month), 1963

08-12 moored as before; 1100 Rodriguez, P.B. PN3 USN 543-90-33 Departed ship for US NAVY Shipyard Dispensary, Right ankle Sore and swollen. Rodriguez states he turned his Right ankle while playing Volleyball about 1600 ~~2 March 1963~~ ~~3-2-63~~ while ashore. W

J.D. Hollis. CWO-2, USN

12-16 moored as before; 1225 Rodriguez P.B. PN3 USN 543-90-33 returned to ship from USN Shipyard Dispensary with Report from Duty Doctor, Light Duty 72 hours. ~~Signed by DO~~ JDH

J.D. Hollis. CWO-2, USN

16-20 moored as before; 18.00 below deck spaces open for ventilation to painted spaces and Repairs.

J.D. Hollis. CWO-2, USN

20-24 moored as before;

J.D. Hollis. CWO-2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.E. Nelson LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Monday (Day) 4 (Date) MARCH (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 Moored port side to berth B-11, US Naval Shipyard, Pearl Harbor, Hawaii, using four (4) stbd mooring lines doubled. Receiving Electrical power, Fire & Flushing Water, Fresh water pressure, air and telephone service from shore connections - JOHYRmB-1 moored outboard to stbd. qtr. below deck spaces remain open for ventilation and access to repair areas. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.A. is CinCPacFlt.

J. D. Hallis, CWO 2, USN

04-08 moored as before: 0710 mustered the crew at Quarters. Unauthorized absentees: none.

J. D. Hallis, CWO 2, USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: A. L. Walker (USN) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF -96 Monday (Day) 4 (Date) March (Month), 1963

0800-1200 Moored as before.

Robert M Turner EM2 USN

1200-1600 Moored as before.

Robert M Turner EM2 USN

1600-2000 Moored as before, 1800 Set modified condition "Yoke" throughout the ship

Robert M Turner EM2 USN

2000-2400 moored as before

Robert M Turner EM2 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LDO U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Tuesday (Day) 5 (Date) March (Month) 19 63

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

00-04 Moored port side to berth Bravo eleven (B11) RT
U.S. Naval Shipyard Pearl Harbor Hawaii using four standard mooring lines doubled up. Receiving fresh water, flushing water, telephone service and electrical power. YRBM-1 is moored to starboard. Ships present include various units of the U.S. Pacific Fleet various yard and district small craft and two units of the Royal Canadian Navy. SOPA is Cinc Pac Fit. Modified Condition Zebra is set throughout the ship.

Robert M. Turner EOS USN

04-08 Moored as before. 0700 Mustered crew on stations absentees; none

Robert M Turner EOS USN

APPROVED: C C Rod LT U.S.N. COMMANDING

EXAMINED: R L Wolfe LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 TUESDAY (Day) 5 (Date) MARCH (Month), 1963

0800-1200 MOORED AS BEFORE

J E Horton
Ens USN

1200-1600 MOORED AS BEFORE

J E Horton
Ens USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED CONDITION YOKE THRU OUT THE SHIP.

J E Horton
Ens USN

2000-2400 MOORED AS BEFORE.

J E Horton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: L L Hall LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 6 (Date) MARCH (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO IN BERTH BRAVO ELEVEN (B-11). U.S. NAVAL SHIPYARD PEARL HARBOR, HAWAII. WITH STANDARD MOORING LINES DOUBLED. CONDITION YOKE MODIFIED SET THRU OUT THE SHIP. YRBM-1 MOORED ALONGSIDE TO STARBOARD. RECEIVING FRESH WATER, SALT WATER, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

L E Horton
Ens USN

Ø4-Ø8 MOORED AS BEFORE Ø7ØØ MUSTERED CREW ON STATIONS, ABSENTEES: NONE.

L E Horton
Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 6 (Date) MARCH (Month), 1963

08-12: MOORED AS BEFORE.

H. L. NOAH LTJG USNR

12-16: MOORED AS BEFORE. 1315 COMMENCED DOCK TRIALS ON NUMBER TWO (2) MAIN ENGINE. 1324 SECURED FROM DOCK TRIALS.

H. L. NOAH LTJG USNR

16-20: MOORED AS BEFORE. 1600 EXERCISED THE CREW AT SPECIAL SEA DETAIL STATIONS. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

H. L. NOAH LTJG, USNR

20-24: MOORED AS BEFORE.

H. L. NOAH LTJG, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. E. Walker LT/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 7 (Date) MARCH (Month), 19 65

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
30

FUEL CONSUMED 0000-2400
837

REMARKS

00-04: MOORED PORT SIDE TO BERTH B-11, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE IS SET. RECEIVING ELECTRIC POWER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. YRBM-1 IS MOORED ALONGSIDE TO STARBOARD. SOPA IS CINCPACFLT.

H. A. Swan LTJG, USNR

04-08: MOORED AS BEFORE. 0650 MUSTERED THE CREW ON STATIONS; ABSENTEES: NONE. 0700 YTM-142 TOOK YRBM-1 FROM ALONGSIDE STARBOARD SIDE. 0702 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0742 UNDERWAY IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTROL FOR FIRST SEA TRIALS. CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE; CAPTAIN HAS THE CONN. DRAFT FORWARD 12', AFT 15'. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CLEAR BERTH AND CONFORM TO PEARL HARBOR CHANNEL.

H. A. Swan LTJG, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/C U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Thursday (Day) 7 (Date) March (Month), 19 63

0800-12 Steering various courses at various speeds to clear Pearl Harbor channel to seaward. 0814 passed bouy number one to starboard; 1816 secured special sea and anchor detail, C/C to 156° PGC, C/S to 9.5 kts; 0819 C/S to 12.3 kts; 0824 Entered International waters; 0831 C/C 180° PGC; 0844 C/S to 13.8 kts; 0904 Commenced radar bearing test; 0910 C/C 170° T; 0913 C/C to 160° (T); 0917 C/C 150° T; 0922 C/C 140° T; 0928 C/C 130° T; 0930 C/C 120° T 0932 C/C 110° T; 0935 C/C 100° T; 0937 C/C 090°; 0940 C/C 080° 0943 C/C 190° T; 0948 C/C 200° T C/C to 210° T; 0950 C/S To 12.3 kts; 0951 C/S to 9.5 kts RT 0953 C/C 220° T; 0955 C/C 230° T; 0958 C/C to 240° T; 1002 C/C 250° T 1004 C/C 260° T; 1008 C/S to 12.6 kts; 1009 C/C 270° T; 1014 C/C 280° T 1017, 290° T; 1021 C/C 300° T; 1024 C/C 310° T; 1027 C/C 320° T; 1029, C/C 330° T; 1032 C/C 340° T; 1034 C/C 350° T; 1037, C/C 000° T; 1039 C/C 010° T; 1042 C/C 020° T; 1045 C/C 030° T; 1048 C/C 040° T 1049, C/C 050° T; 1050 C/C 060° T; 1053 C/C 070° T; 1055 C/S 13.8 kts C/C 350° T; 1058 CRASH ships engines astern with rudder amidships. 1100 the ship is stop; 1108 a test of the rudder motors was made. 1118 secured from rader bearing test; 1127, commenced crashing ahead full Steady on course 098° T; 1132 C/C to 000° T; 1138 C/S to 12.3 kts C/C 350° T 1148 C/C to 270° T; 1149 C/C 350° T,

Robert M Turner EM3 USN

1200-16 Underway As Before 1208 C/S To 9.5 Knots C/C To 010° 1220 C/C To 017° 1252 C/C To 331° C/S To 6.7 Knots. 1253 Set Special Sea And Anchor Detail. Captain And Navigator On The Bridge. ENS Horton Has Conn + Deck. 1254 C/C To 329° 1256 Shifted Motor Control To The Bridge. C/C To 325° 1301 C/C To 332° 1305 C/C 330° 1307 Passed Bouy Two Abeam To Starboard Aprox. 100 Ft. Commenced Maneuvering On Various Courses And Speeds To Conform With Pearl Harbor Channel. 1313 Passed Bouy Four Abeam To Stbd. Aprox 150 Ft On Course 333° ~~1318~~ 1331 Passed Bouy Six Abeam To Stbd Aprox 150 Ft On Course 003° 1333 C/S To 3 Knots 1336 Passed Bouy Twenty Two Abeam To Stbd Aprox 90 Ft On Course 070° 1340 Captain Has The Conn. Maneuvering On Various Courses And Speeds To Approach And Moor In Berth Bravo Eleven 1358 Moored Port Side To In Berth Bravo Eleven US Naval Shipyard Pearl Harbor, Hawaii. 1417 Secured The Special Sea & Anchor Detail.

J.L. Hollis, CWO-2, USN

1600-20 Moored As Before. 1800 Set Modified Condition Yoke.

J.L. Hollis, CWO-2, USN

2000-24 Moored As Before

J.L. Hollis, CWO-2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: J. L. Walker LCdr U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10-W DATE FRIDAY (Day) 8 (Date) MARCH (Month), 1963

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 MOORED PORT SIDE TO BERTH B-11, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII, USING FOUR (4) STD. MOORING LINES DOUBLED, YRBM 1 MOORED TO STBD. MODIFIED CONDITION YOKE SET BELOW DECKS. RECEIVING ELECTRICAL POWER, SALT & FRESH WATER, AIR and TELEPHONE SERVICES FROM THE PIER CONNECTIONS. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT and SMALL CRAFT. SOPA is CinCPac Flt.

J. L. Hollis. CWO-2, USN

04-08 MOORED AS BEFORE. 0710 MUSTERED THE CREW ~~ON~~ AT QUARTERS: UNAUTHORIZED ABSENTEES: NONE. JLH

J. L. Hollis, CWO-2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Friday (Day) 8 (Date) March (Month), 19 63

08-12 Moored as before.

Robert M Turner EM3 USN

12-16 Moored as before. Robert M Turner EM3 USN

16-20 Moored as before. 1800 Set modified Condition "Yoke" throughout the ship.

Robert M. Turner EM3 USN

20-24 Moored as before.

Robert M Turner EM3 USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R L Walton LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE Saturday (Day) 9 (Date) March (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 moored port side to, berth Bravo eleven (611) US naval shipyard Pearl Harbor Hawaii using four (4) Standard nylon mooring lines doubled up. Material condition "yoke" Ef set throughout the ship. Receiving fresh water salt water, electric power and telephone service from the pier. Ships present include various units of the US Pacific Fleet and various yard and district craft. SOPA is ComCPac Flt. Barge YRBM-1 is tied alongside to starboard.

Robert M Turner EDS USNR

04-08. Moored as before. 0710 mustered crew on stations. Absentees: none

Robert M Turner EDS USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A. L. Walker Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SATURDAY (Day) 9 (Date) MARCH (Month), 19 63

0800-1200 MOORED AS BEFORE

L E Horton
Ens USN

1200-1600 MOORED AS BEFORE.

L E Horton
Ens USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED CONDITION YOKE THRU OUT THE SHIP.

L E Horton
Ens USN

2000-2400 MOORED AS BEFORE.

L E Horton
Ens USN

APPROVED: C Rood Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 10 (Date) MARCH (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO BERTH BRAVO ELEVEN (B-11), US NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. YRBM 1 MOORED ALONGSIDE TO STARBOARD. RECEIVING FIRE AND FLUSHING WATER, FRESH WATER, ELECTRICIAL POWER AND TELEPHONE SERVICE FROM THE PIER. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, H.M.R.C. NAVY, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

L E Horton
Ens USN.

Ø4-Ø8 MOORED AS BEFORE Ø73Ø MUSTERED CREW ON STATIONS. ABSENTEES: WHITE, J.L. JR. 533 2210 ENS USN SINCE Ø7ØØ 1Ø MARCH 1963.

L E Horton
Ens USN.

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker Lt/G U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 10 (Date) MARCH (Month), 1963

08-12: MOORED AS BEFORE.

W.P. Swan LTJG, USNR

12-16: MOORED AS BEFORE.

W.P. Swan LTJG, USNR

16-20: MOORED AS BEFORE. ~~1200~~ SET MODIFIED MATERIAL CONDITION YOKE.

W.P. Swan, LTJG, USNR

20-24: MOORED AS BEFORE.

W.P. Swan, LTJG, USNR

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker LT/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 11 (Date) MARCH (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4: MOORED PORT SIDE TO BERTH B-11, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER, SALT WATER, ELECTRIC POWER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. YRBM-1 IS MOORED ALONGSIDE TO STARBOARD. SOPA IS CINCPACFLT.

H Hefner LTJG, USNR

Ø4-Ø8: MOORED AS BEFORE. Ø71Ø MUSTERED THE CREW AT QUARTERS; ABSENTEE: WHITE, J.L. JR., 533 22 1Ø, EN3, USN ABSENT WITHOUT AUTHORITY FROM MUSTER.

H Hefner LTJG, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Wolfe LCDR U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 11 (Date) March (Month), 19 63

08-12 Moored as before: 0855 MARTIN, Albert (n), SN, 538-03-56 USN While attempting to move large oxygen cylinders port side main deck of USS, ABNAKI (ATF-96) accidently caught third finger of his right hand between one bottle and the Bulkhead. Resulting injury treated by ship Corpsman and taken to US naval Shipyard dispensary for further treatment by Duty medical Officer. Returned to light duty aboard ship - no apparent misconduct involved.

J.D. Hollis, CWO-2, USN

12-16 Moored as before.

J.D. Hollis, CWO-2, USN

16-20 Moored as before; 1630 Confirmed presence of White, John L, Jr, En3 USN 533-22-10 as patient in U.S. Army Tripler General Hospital Diagnosis. Pneumonia, Via telephone ~~conf~~ conversation between CWO J.D HOLLIS, C.D.O. and an Ward 30 duty Doctor. Dr. Campbell M.D. admittance date 3-9-63 - no time (hour) noted. 1800 modified Condition zebra set below decks. Shipyard work in progress in tamp A-1-W-0.

J.D. Hollis, CWO-2, USN

20-24 Moored as before:

J.D. Hollis, CWO-2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: [illegible] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday (Day) 12 (Date) March (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 moored port side to Berth B-11, U.S. Naval Shipyard, Pearl Harbor, Hawaii, using four (4) std. Mooring lines doubled and secured. Receiving air Salt Water, Freshwater, Electrical power and telephone service from the pier. Condition yoke modified set below decks. Ships present include various Units of the U.S. Pacific Fleet, District and Small Craft. SOPA is CinC Pac. Flt. YRBM-1 moored outboard to starboard.

J. L. Hollis, CWO-2, USN

04-08 moored as before: 0700 mustered the crew on stations, unauthorized absentees: None.

J. L. Hollis, CWO 2, USN

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Wolfe LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Tuesday (Day) 12 (Date) March (Month), 19 63

08-12 Moored as before.

Robert M. Turner Ens USNR

12-16 Moored as before.

Robert M. Turner Ens USNR

16-20 Moored as before 1800 set modified condetion "Yoke" throughout the ships.

Robert M. Turner Ens USNR

20-24 Moored as before.

Robert M. Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OE NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Wednesday (Day) 13 (Date) March (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

00-04 Moored portside to berth Bravo eleven (B-11) US naval Shipyard, Pearl Harbor Hawaii using four standard mooring lines doubled up. Modified Condition "Jake" in effect throughout the ship receiving fresh water, power, and telephone service from the pier. YRBM-1 is tied to starboard. Ships present include various units of the US Pacific Fleet, various yard and district small craft and two units of the Royal Canadian Navy. SOPA is CinC Pac Flt.

Robert M. Turner EW3 USN

04-08 Moored as before; 0700 muster on stations absentees none.

Robert M. Turner EW3 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 13 (Date) MARCH (Month), 1963

0800-1200 MOORED AS BEFORE.

L E Horton
Enn USN

1200-1600 MOORED AS BEFORE

L E Horton
Enn USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED CONDITION YOKE THRU OUT THE SHIP.

L E Horton
Enn USN

2000-2400 MOORED AS BEFORE

L E Horton
Enn USN.

APPROVED:

C C Reed Lt. U.S.N. COMMANDING

EXAMINED:

R. L. Walker LT/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) ~~13~~ 14 (Date) MARCH (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 28

FUEL CONSUMED 0000-2400: 9145

REMARKS

ØØ-Ø4 MOORED PORTSIDE TO, BRAVO ELEVEN - (B-11) U.S. NAVAL SHIP YARD, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. 1/RBM1 MOORED ALONGSIDE TO STARBOARD MODIFIED CONDITION YOKE SET THICK OUT THE SHIP. RECEIVING FIRE AND FLUSHING WATER, FRESH WATER, ELETRICIAL POWER, AND TELEPHONE ~~SERVICE~~ SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, H.M.R.C. NAVY, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT. JEH

J E Horton
Ens USN.

Ø4-Ø8 MOORED AS BEFORE. Ø65Ø SET SPECIAL SEA DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. MOTOR CONTROL ON THE BRIDGE. Ø71Ø MUSTERED CREW ON STATIONS: ABSENTEES CALDERON, S (N) 546-86-98 SN. USN. UA SINCE Ø63Ø 14 MARCH 1963

APPROVED: C Reed Lt U.S.N. COMMANDING

EXAMINED: R L Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI - ATF-96 Thursday (Day) 14 (Date) March (Month) 1963

Ø645 YTB 762 CAME ALONGSIDE TOOK YRBM 1 IN TOW. Ø715 underway IAW NAVShipyard Opord for Sea Trials in local Op Area. Captain has the Conn, Ens Horton has the deck. Maneuvering on Various courses at various speeds to clear Berth Bravo eleven Ø722 clear of Berth and steady on Coorse 245° A/A 6 Knots Ens Horton has the deck and the Conn. Ø729 C/c to 185° Ø73Ø C/s to 8 Knots. 0734 maneuvering on various courses to conform with Pearl Harbor channel. Ø74Ø Passed Bouy Nine(9) to Abeam to starboard on coorse 163° Ø742 Passed Bouy seven (7) Abeam to Port approx 120 ft on course 156°. Ø744 Passed Bouy Five (5) Abeam to starboard Aprox 150 ft C/c to 150° C/s to 10 Knots Ø746 Passed Bouy three (3) abeam to starboard Aprox 250 ft C/c to 152° Ø750. Passed Bouy one (1) abeam to starboard Aprox 300 ft on Coorse 152°. Shifted motor Controll to the motor Room C/s to 12.3 knots Ø752 Secured Special Sea Detail. Ens Turner has the deck & the Conn

K E Horton Ens USN

Ø8-12 Underway as before. 0802 C/c to 205°; Ø8Ø8 C/s to A/Flank 13.3kts 1015 C/c to 030°; 1132 Ens Horton has the deck & the Conn.

Robert M Turner Ens USNR

12-16 Underway as before 1200 C/c to ~~025°~~ 025°; 1222 C/s to 12.3kts; 1223 C/s to 9.5 Kts; 1229 C/s to 6.7 kts; 1239 C/c to 025°; 1240 C/c to 037°; 1243 Ens Turner has the deck and the Conn; 1258 C/c to 045°; 1303 C/s to 3.3 kts; 1304 C/c to Ø28°; 1306 C/c to Ø2Ø°; 1309 C/s All stop; 1312 C/c to 025°; 1315 maneuvering to position ship to drop anchor; 1316 Let go stbd anchor in 3Ø fathoms of water. Anchor bearings are as follows: Aloha tower 359½°, Radio Tower 028 3/4, LaRonde 058° Hotel Cupola 091½°, 1321 Commenced heaving Anchor in; 1327 Anchor aweigh Back ½ no way on, 1328 all stop. 133Ø C/s to 6.7 kts; 1332 All stop, Back ⅓ No way on, 1334 maneuvering to drop anchor. 1338 Let go port anchor in 2Ø fathoms of water, Anchor bearings, Radio tower 028 3/4, La Ronde 059½°, Diamond Head light 094° 1342 Commenced Heaving in Anchor, 1345 Anchor is aweigh 135Ø C/s to 6.7 kts 1353 Steady on Coorse 270°; 1354 C/c to 265°, C/c to 260°, 1402 maneuvering to drop Anchor; 1415 Dropped Anchor in 48 fathoms of water, bearings are, Hotel Cupola 092½°, Aloha tower Ø36°, La Ronde 072 3/4; 1416 Commenced heaving in Anchor. 1418 Anchor is Aweigh. 1425 C/s to 3.3 kts. 1427 C/c to Ø8Ø° 1428 C/s to 6.7 kts, 143Ø C/s to 9 kts, 1454 C/c to 333½° 1453 C/c to 336°; 1454 C/c to 339, 1455 C/c to 339°; 1457 C/c to 342°; 1458 C/c to 340°, 1459 C/c to 338°, to 336°, 15Ø4 C/c to 333°; 1502 Passed bouys, one and two, maneuvering various courses at various speeds to conform to channel entering Pearl Harbor. 1522 Captain has the Conn; 1541 moored starboard side to berth Golf Delta four (GD-4) U.S Navel Shipyard, Pearl Harbor Hawaii 1555 Secured the special sea and Anchor detail.

W W Swan, LTJG, USNR

16-2Ø Moored as before 1725 Calderon, S (W) SN 546-86-98

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY 14 MARCH, 63
(Day) (Date) (Month)

(16-20-CONTINUED) USN, REPORTED ON BOARD HAVING BEEN AWOL SINCE Ø63Ø THIS DATE. 194Ø- YRBM-1 DELIVERED AND MOORED ALONGSIDE TO ~~STARBOARD~~ PORT. [initials]

[signature] LTJG, USNR

2Ø-24: MOORED AS BEFORE.

[signature] LTJG USNR

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY 15 MARCH , 1963
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH GD-4, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING SALT WATER, FRESH WATER, ELECTRIC POWER AND TELEPHONE SERVICES FROM THE PIER. MODIFIED CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. YRBM-1 IS MOORED ALONGSIDE TO PORT. SOPA IS CINCPACFLT.

W W [illegible], LTJG, USNR

04-08: MOORED AS BEFORE. 0710 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

W W [illegible], LTJG, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: A. L. Walker LCdr U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 15 (Date) MARCH (Month), 19 63

08-12 moored as before:

J. L. Hollis, CWO-2, USN

12-16 moored as before;

J. L. Hollis, CWO-2, USN

16-20 moored as before; 1800 set Condition yoke modified below the main deck. Fwd. hold and Shaft alley open for ventilation of newly painted spaces.

J. L. Hollis, CWO2- USN

20-24 moored as before;

J. L. Hollis, CWO-2- USN

APPROVED: C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 410-W DATE SATURDAY (Day) 16 (Date) MARCH (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 moored Starboard side to Berth Golf-Delta Four (GD-4) U.S. Naval Shipyard, Pearl Harbor, Hawaii, Using Four (4) Std. mooring lines doubled and Eight parts of soft lay cable for spring line #3. Modified Condition yoke set below the main deck. Shaft alley - Fwd. Hold and Compt. A-303-A spaces open & Ventilating, drying new paint. Receiving Electrical power, Salt and Fresh Water, Steam, air and telephone service from the pier. ~~YRBM-1~~ moored ~~04~~ outboard to port. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft, and Two (2) Units of the ~~Royal~~ Royal Canadian Navy, SOPA ~~04~~ is CinC pac Flt.

J.L. Hollis, CWO 2, USN

04-08 moored as before: 0700 YTM moved YRBM-1 from alongside. 0715 mustered the Crew on stations, unauthorized absentees: None

J.L. Hollis, CWO 2

APPROVED: C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Saturday (Day) 16 (Date) March (Month) 19 63

0800-1200 Moored as before.

Robert M. Turner EN3 USN

1200-1600 Moored as before.

Robert M. Turner EN3 USN

1600-2000 Moored as before. 1800 Set modified material condition "Yoke" throughout the ship

Robert M. Turner EN3 USN

2000-2400 Moored as before.

Robert M. Turner EN3 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: J. L. Walker Lt/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE ~~Saturday~~ Sunday ~~17~~ (Day) (Date) March (Month), 19 63 R.T.

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04. Moored starboard side to berth Golf-Delta four. (GD-4) US Naval Shipyard Pearl Harbor Hawaii using four standard mooring lines, doubled up. and eight parts of spring lay cable for spring line #3.
Modified condition "Yoke" is set throughout the ship. Receiving fresh water, power, and telephone service from the pier. Ships present include various units of US Pacific Fleet, and various yard and district craft. SOPA is CinC Pac Fleet.

Robert M. Fremer EOS USN.

04-08 Moored as before. 0730 mustered crew at quarters
Absentees. none.

Robert M. Fremer EOS USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/C U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 17 (Date) MARCH (Month), 19 63

0800-1200 MOORED AS BEFORE

J E Horton
Em USN

1200-1600 MOORED AS BEFORE

J E Horton
Em USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED CONDITION YOKE THRU OUT THE SHIP.

J E Horton
Em USN

2000-2400 MOORED AS BEFORE

J E Horton
Em USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 18 (Date) MARCH (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH GD-24 U.S NAVAL SHIP YARD, PEARL HARBOR, HAWAII. WITH STANDARD MOORING LINES DOUBLED. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, HMRC NAVY, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT. SEH

J E Horton
Ens USN

04-08 MOORED AS BEFORE 0710 MUSTERED CREW ON STATIONS: ABSENTEES: NONE

J E Horton
Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 18 (Date) MARCH (Month), 1963

0812: MOORED AS BEFORE. 0830 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0901 UNDERWAY SHIFTING BERTHS TO B-8 IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTROL. CAPTAIN AND NAVIGATOR ON THE BRIDGE, CAPTAIN HAS THE CONN. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0920 MOORED STARBOARD SIDE TO BERTH B-8, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. 0935 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 0948 YRBM-1 DELIVERED AND SECURED ALONGSIDE TO PORT. 1000 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS: CALDERON, S. (N), 546 86 98, SN, USN, OFFENSE: ABSENCE WITHOUT LEAVE ON 14 MARCH 1963. PUNISHMENT: EXTRA DUTIES FOR TWO (2) HOURS A DAY FOR FOURTEEN (14) DAYS COMMENCING 18 MARCH 1963, AND RESTRICTION TO THE LIMITS OF THE SHIP FOR FOURTEEN (14) DAYS COMMENCING 18 MARCH 1963.

W W Swan, LTJG, USNR

1216: MOORED AS BEFORE

W W Swan, LTJG, USNR

1620: MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

W W Swan, LTJG, USNR

2024: MOORED AS BEFORE.

W W Swan, LTJG, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY 19 MARCH , 1963
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH B-8, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER, SALT WATER, ELECTRIC POWER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT; YRBM-1 IS MOORED ALONGSIDE TO PORT. SOPA IS CINCPACFLT,

W W [illegible], LTJG, USNR

04-08: MOORED AS BEFORE. 0710 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

W W [illegible], LTJG, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: B. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 19 (Date) MARCH (Month), 1963

08-12 moored as before:

J.d. Hollis, CWO-2, USN

12-16 moored as before:

J.d. Hollis, CWO-2, USN

16-20 moored as before; 1800 set modified condition Yoke, Second deck & below. Fwd Hold open for yard Night work crew.

J.d. Hollis, CWO-2, USN

20-24 moored as before:

J.d. Hollis, CWO-2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A. L. Walker LCdr U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10-W DATE Wednesday (Day) 20 (Date) March (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

00-04 moored stbd. side to berth B-8 U.S. Naval Shipyard, Peare Harbor, Hawaii, using four (4) std. mooring lines doubled, 4 RB M-1, moored outboard to port. Receiving A/C power, F.W. & S.W., air and telephone services from the pier. Condition Yoke "modified". 1st second deck and below. Ships present include various units of the U.S. Pacific Flt., District and Small Craft. S.O.P.A. is CinCPac Flt.

J. L. Hollis, CWO-2, USN

04-08 moored as before: 0710 mustered the crew on stations. Unauthorized absentees: none.

J. L. Hollis, CWO-2, USN

APPROVED: C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Wilkes LDO U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Wednesday (Day) 20 (Date) March (Month), 1963

08-12 Moored as before.

Robert M Turner Ens USNR

12-16 Moored as before.

Robert M Turner Ens USNR

16-20. Moored as before. 1615 Jennings, Ronald D RMSN 532 6401 while using a power disc, performing ships work did injure his left superior knee by producing a 2" laceration. Patient was sent to Shipyard Dispensary for treatment. 1800 Medical condition "Jake" set throughout the ship.

Robert M Turner Ens USNR

20-24 Moored as before.

Robert M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Thursday 21 March , 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

0004 moored starboard side to berth Bravo-Eight (B-8) US Naval Shipyard, Pearl Harbor Hawaii, using four (4) standard mooring lines doubled up forward, flushing water, fresh water, electrical power and telephone service from the pier. Ships present include various units of the US Pacific Fleet and various yard and district craft. Material Condition "Jake" is set throughout the ship. SOPA is CinC Pac Fleet. Barge YRBM-1 is tied alongside to port.

Robert M. Turner Ens USN

0400-0800 moored as before. 0700 mustered crew on stations, absentees none.

Robert M. Turner Ens USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 THURSDAY (Day) 21 (Date) MARCH (Month), 19 63

0800-1200 MOORED AS BEFORE 1100 YRBM 1 SHIFTED FROM ALONG SIDE TO BERTH ASTERN.

L E Horton
Em USN

1200-1600 MOORED AS BEFORE.

L E Horton
Em USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED CONDITION YOKE THRU OUT THE SHIP.

L E Horton
Em USN

2000-2400 MOORED AS BEFORE.

L E Horton
Em USN

APPROVED: C Brad Lt U.S.N. COMMANDING

EXAMINED: R L Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Agnaki ATF 96 ZONE DESCRIPTION +10 DATE Friday (Day) 22 (Date) March (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

ØØ-Ø4 Moored Starboard To In Berth Bravo Eight. US Naval Ship Yard Pearl Harbor, Hawaii, With Standard Mooring Lines Doubled. Receiving Fire And Flushing Water, Fresh Water, Electrical Power, And Telephone Service From The Pier. Modified Condition Yoke Set Thru Out The Ship. Ships Present Include Various Units of US Pacific Fleet, ~~HR~~ HMRC Navy, Yard And District Craft. SOPA is CinCPacFlt. LCH

J E Horton
Ens USN

Ø4-ØE Moored As Before. Ø71Ø Musters Crew At Quarters Absentees None. Ø715 Commenced Commanding Officers Personnel Inspection Ø74Ø Secured From Commanding Officers Personnel Inspection

J E Horton Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 22 (Date) MARCH (Month), 1963

0800-1200: MOORED AS BEFORE. 1049 RADM FARRIN, COMMANDING OFFICER, U.S. NAVAL SHIPYARD, PEARL HARBOR CAME ABOARD ON OFFICIAL VISIT. 1113 RADM FARRIN DEPARTED THE SHIP.

W. L. WILSON, LTJG, USNR

1200-1600: MOORED AS BEFORE.

W. L. WILSON, LTJG, USNR

1600-2001 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

W. L. WILSON, LTJG, USNR

2000-2400: MOORED AS BEFORE. 2359 COMPLETED YARD OVERHAUL. COMMENCED RFS PERIOD.

W. L. WILSON, LTJG, USNR

APPROVED: C. C. Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LDSC U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 23 (Date) MARCH (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH G-8, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER, SALT WATER, STEAM, ELECTRIC POWER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H W Swan, LTJG, USNR.

04-08: MOORED AS BEFORE. 0710 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

H W Swan, LTJG, USNR.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/G U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 23 (Date) March (Month), 1963

08-12 moored as before;

J. L. Hollis, CWO-2, USN

12-16 moored as before;

J. L. Hollis, CWO-2, USN

16-20, moored as before; 1800 Set condition Yoke (modified) throughout the ship.

J. L. Hollis, CWO-2, USN

20-24: moored as before;

J. L. Hollis, CWO-2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS AGNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Sunday (Day) 3rd (Date) March (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 moored Stbd. side to Berth B-8, U.S. Naval Shipyard, Pearl Harbor, Hawaii. Using Four Std. mooring lines doubled and secured. Receiving Fresh water, flushing water, Steam, air and telephone, and electrical power from the pier Connections, Condition Yoke (modified) set through the ship. Ships present include various units of the U.S. Pacific Fleet, Alaskan and Small Craft. Two units of the Royal Canadian Navy. S.O.P.A. is Com C Pac.

J.L. Hollis, CWO-2, USN

04-08 moored as before; 0745 mustered the crew on Stations Unauthorized absentees: none:

J.L. Hollis CWO 2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LCdr U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Sunday (Day) 24 (Date) March (Month) 19 63

0800-1200 Moored as before.

Robert M Turner EM3 USNR

1200-1600 Moored as before.

Robert M Turner EM3 USNR

1600-2000 Moored as before. 1800 Set material condition "Yoke" throughout the ship.

Robert M Turner EM3 USNR

2000-2400 Moored as before.

Robert M Turner EM3 USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LCdr U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI, ATF-96 ZONE DESCRIPTION +10 W DATE Monday 25 March, 1963
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
3

FUEL CONSUMED 0000-2400
286

REMARKS

00-04 Moored starboard side to berth Bravo eight (B-8) US Naval Shipyard Pearl Harbor Hawaii, using four standard mooring lines doubled up. Receiving fresh water, flushing water, steam, air; telephone and electrical power from the pier. Ships present include various members of the U.S. Pacific Fleet and various yard and district small crafts. Material condition 'Yoke' is set throughout the ship. SOPA is Com C Pac Fleet.

Robert M Turner EN3 USN

04-08 Moored as before. 0710 mustered crew at quarters for inspection and instruction, absentees; none.

Robert M Turner EN3 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 MONDAY (Day) 25 (Date) MARCH (Month), 19 63

0800: MOORED AS BEFORE. 0802 CAPTAIN HAS THE CONN. 0817 UNDERWAY IN ACCORDANCE WITH VERBAL ORDERS FROM PEARL HARBOR PORT CONTROL. SHIFTING BERTHS TO BERTH W-3. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CLEAR BERTH. 0829 LTJG SWAN RELIEVED THE CAPTAIN OF THE CONN. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0857 CAPTAIN RELIEVED LTJG SWAN OF THE CONN. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO APPROACH BERTH W-3. 0912 MOORED STARBOARD SIDE TO BERTH W-3, U.S. NAVAL AMMUNITION DEPOT, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED FORE AND AFT. 0918 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 0945 COMMENCED LOADING AMMUNITION. 1045 COMPLETED LOADING AMMUNITION HAVING RECEIVED FROM NAD OAHU, PEARL HARBOR BRANCH, 40 ROUNDS 3"/50 CAL. VT NONFRAG., NON-FLASHLESS; LESS 179 ROUNDS 3"/50 CAL VT NON-FLASHLESS; 50 ROUNDS 3"/50 CAL VT FLASHLESS; 25 ROUNDS 3"/50 CAL B.L. & P NON-FLASHLESS; 5000 ROUNDS 45 CAL. BALL; 200 ROUNDS 45 CAL. BLANK; 5140 ROUNDS 30 CAL. BALL; 2000 ROUNDS 30 CAL. BLANK; 276 PIECES ASSORTED PYROTECHNICS; 163 POUNDS TNT; 160 BLASTING CAPS, ELECTRIC. 44 BLASTING CAPS, NONELECTRIC; 50 ROUNDS 3"/50 A.P. FLASHLESS. 1055 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1102 UNDERWAY FOR BERTH B-8 IN ACCORDANCE WITH VERBAL ORDERS FROM COMSERVPAC FORCE MAINTENANCE OFFICER. CAPTAIN AND NAVIGATOR ON THE BRIDGE. DRAFT FORWARD 14'0", AFT 15'6". LTJG SWAN HAS THE CONN. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CLEAR BERTH AND CONFORM TO PEARL HARBOR CHANNEL. 1129 PASSED BUOY #22 ABEAM TO STARBOARD, DISTANCE 200 FEET. 1136 CAPTAIN RELIEVED LTJG SWAN OF THE CONN. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO APPROACH BERTH B-8. 1147 MOORED STARBOARD SIDE TO BERTH B-8, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. 1159 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

W Dolman, LTJG, USNR

12-16 Moored As Before. Commenced Restricted Availibilty For Repairs To Anchor Windlass.
J E Horton Ens USN

16-20 Moored As Before. 1800 Set Modified Condition Yoke Thru Out The Ship
J E Horton Ens USN

20-24 Moored As Before
J E Horton Ens USN

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: D L Walker Lt/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE TUESDAY (Day) 26 (Date) MARCH (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

ØØ-Ø4 MOORED STBD SIDE TO IN BERTH BRAVO EIGHT, U.S. NAVAL SHIPYARD, PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER, FIRE AND FLUSHING WATER, ELECTRICIAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, NMRC NAVY, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

L E Horton
Ens USN

Ø4-Ø8 MOORED AS BEFORE Ø71Ø MUSTERED CREW ON STATIONS. ABSENTEES NONE

L E Horton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A L Walker Lt/JG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY 26 MARCH 19 63
(Day) (Date) (Month)

0800-1200: MOORED AS BEFORE. 0839 CONDUCTED ~~HE~~ HLS DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H W Lyon, LTJG, USNR

1200-1600: MOORED AS BEFORE. 1300 EXERCISED THE CREW AT GENERAL QUARTERS AND GENERAL DRILLS. 1356 SECURED FROM GENERAL DRILLS.

H W Lyon, LTJG, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H W Lyon, LTJG, USNR

2000-2400: MOORED AS BEFORE.

H W Lyon, LTJG, USNR

APPROVED: C C Reed LT. U.S.N. COMMANDING

EXAMINED: A L Walker LT/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 27 (Date) MARCH (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH B-8, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER, SALT WATER, STEAM, ELECTRIC POWER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H. Hufman, LTJG, USNR.

04-08: MOORED AS BEFORE. 0710 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

H. Hufman, LTJG, USNR.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Wednesday (Day) 27 (Date) March (Month), 19 63

08-12 Moored as before: 1000 Made daily inspection of magazines. Conditions normal. 1145 Received smokeless powder samples aboard.

J.d. Hollis. CWO-2, USN

12-16 Moored as before: 1400 Exercised the crew at General Drills, 1446 Secured from General Drills.

J.d. Hollis. CWO 2, USN

16-20 Moored as before: 1800 Material Condition Yoke set Main decks & below.

J.d. Hollis. CWO 2. USN

20-24 Moored as before:

J.d. Hollis. CWO 2. USN

APPROVED: C C Bud Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Thursday (Day) 28 (Date) MARCH (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

00-04 Moored Starboard side to Berth B-8 U.S. Naval Shipyard, Pearl, Hawaii, Using four (4) std. mooring lines doubled. Receiving Electrical Power, Fire & Flushing and Sea water, Steam, and telephone services from the pier. Condition Yoke, Sit main deck and below. Ships present include Various Units of the U.S. Pacific Fleet, district and Small Craft. S.O.P.A. is Com 12 Pac Flt.

J. L. Hollis. CWO 2. USN

04-08 Moored as before. 0710 mustered the crew at Quarters, Unauthorized absentees: None.

J. L. Hollis. CWO, 2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Thursday (Day) 28 (Date) March (Month), 1962

08-12 Moored as before; 1000 made daily inspection of magazines and smokeless powder samples; conditions normal.

Robert M Turner EWS USN

12-16 Moored as before;

Robert M Turner EWS USN

16-20 Moored as before, 1800 Set modified Condition "Yoke" throughout the ship.

Robert M Turner EWS USN

20-24 Moored as before.

Robert M Turner EWS USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10w DATE Friday 29 (Day) (Date) March (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 Moored starboard side to berth Bravo Eight (B-8) US Naval Shipyard, Pearl Harbor Hawaii using four (4) standard nylon mooring lines. Receiving flushing water, fresh water, electrical power and telephone service from the pier. Material condition "Yoke" set throughout the ship. Ships present include various members of the US Pacific Fleet and various yard and district small craft. SOPA is ComCabDiv.

Robert M Turner EA3 USN

04-08. Moored as before. 0710 mustered crew at quarters absentees: none

Robert M Turner EA3 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 29 ~~30~~ (Date) MARCH (Month), 19 63 SEA

0800 MOORED AS BEFORE.

J E Horton
Ens USN

1200 MOORED AS BEFORE 1500 COMMENCED COMMANDING OFFICERS MATERIAL INSPECTION OF UPPER DECKS 1535 SECURED FROM COMMANDING OFFICERS MATERIAL INSPECTION

J E Horton
Ens USN

1600 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOICE THRU OUT THE SHIP.

J E Horton
Ens USN

2000 MOORED AS BEFORE.

J E Horton
Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ASHAKI, ATF-96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 30 (Date) MARCH (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

0⌀-0⌀ MOORED STARBOARD SIDE TO IN BERTH BRAVO EIGHT US NAVAL SHIP YARD, PEARL HARBOR, HAWAII. WITH STANDARD MOORING LINES DOUBLED. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, HMRC NAVY, VARIOUS YARD ~~AND DIST~~ AND DISTRICT CRAFT. JCN SOPA IS CINC PACFLT

J E Horton
Lcdr USN

0⌀-08 MOORED AS BEFORE. 0710 MUSTERED CREW ON STATION. ABSENTEES: NONE.

J E Horton
Lcdr USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A L Walker LCDR U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 30 (Date) MARCH (Month) 19 63

0800-1200: MOORED AS BEFORE. 0814 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1000 COMMENCED COMMANDING OFFICER'S PERSONNEL INSPECTION. 1020 SECURED FROM COMMANDING OFFICER'S PERSONNEL INSPECTION.

W W Swan, LTJG., USNR.

1200-1600: MOORED AS BEFORE.

W W Swan, LTJG. USNR

1200-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

W W Swan, LTJG, USNR

2000-2400: MOORED AS BEFORE.

W W Swan, LTJG. USNR.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY 31 MARCH (Day) (Date) (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH B-8, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER, ELECTRIC POWER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H B Lyman, LTJG, USNR.

04-08: MOORED AS BEFORE

H B Lyman, LTJG, USNR.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 31 (Date) MARCH (Month), 19 63

08-12 moored as before; 0800 Sounded the crew on stations. Unauthorized absentees: none. 0930 made daily inspection of magazines and smokeless powder samples. Conditions normal.

J. L. Hollis. CWO2, USN

12-16 moored as before.

J. L. Hollis. CWO2, USN

16-20 moored as before; 1800 Set material condition main deck and below.

J. L. Hollis. CWO2, USN

20-24 moored as before; 2359 Completed Restricted availibility.

J. L. Hollis. CWO2. USN

APPROVED: F. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR